

## References

### Session 1.

- Gratwohl A, Hermans J, Goldman JM, et al., Risk assessment for patients with chronic myeloid leukaemia before allogeneic blood or marrow transplantation, LANCET 352: (9134) 1087-1092 OCT 3 1998
- The International Non-Hodgkin's Lymphoma Prognostic Factors Project 'A predictive model for aggressive Non-Hodgkin's Lymphoma', New England Journal of Medicine, 329, 987-994, 1993
- Hermans, J. , Krol, A.D.G., van Groningen, K., Kluin, Ph.M., Kluin-Nelemans, J.C., Kramer, M.H.H., Noordijk, E.M., Ong, F., Wijermans, P.W. 'International prognostic index for aggressive Non-Hodgkin's lymphoma is valid for all malignancy grades', Blood, 86, 1460-1463 (1996)
- van Houwelingen HC, Validation, calibration, revision and combination of prognostic survival models, Statistics in Medicine, to appear, 2000
- Royston P, The lognormal distribution as a model for survival time in cancer, with an emphasis on prognostic factors, Statistica Neerlandica, to appear, 2001
- Keiding N, Andersen PK, Klein JP, The role of frailty models and accelerated failure time models in describing heterogeneity due to omitted covariates, STAT MED 16: (1-3) 215-224 JAN 15 1997
- Hougaard P, Analysis of multivariate survival data, Springer, 2000

### Session 2

- Van Houwelingen JC, Huinink WWT, Vanderburg MEL, et al., Predictability of the Survival of Patients with Advanced Ovarian-cancer, J Clin Oncol 7: (6) 769-773 Jun 1989
- Aalen OO, Effects of frailty in survival analysis, Statistical Methods in Medical Research, 3, 27-243, 1994
- Berkson J and Gage RP, Survival curve for cancer patients following treatment, JASA, 47, 501-515, 1952
- Blackstone EH, Naftel DC, Turner ME, The decomposition of time-varying hazard in phases, each incorporating a separate stream of concomitant information, JASA, 81, 615-624, 1986
- Boag J, Maximum likelihood estimates of the proportion of patients cured by cancer therapy, J. Royal Statistical Society, 11, 15-44, 1949
- Chen MH, Ibrahim JG, Sinha D, A new Bayesian model for survival data with a surviving fraction, JASA, 94, 909-919, 1999
- De Angelis R, Capocaccia R, Hakulinen T, et al., Mixture models for cancer survival analysis: Application to population-based data with covariates, Stat Med, 18, 441-454, 1999
- Farewell VT, The use of mixture models for the analysis of survival data with long term survivors, Biometrics, 38, 1041-1046, 1982
- Gratwohl A, Hermans J, Goldman JM, et al., Risk assessment for patients with chronic myeloid leukaemia before allogeneic blood or marrow transplantation, Lancet, 352, 1087-1092, 1998
- Kooperberg C, Stone CJ Truong YK , 'Hazard Regression', J. Am Stat Assoc, 90, 78-94, 1995
- Maller R, Zhou X, Survival analysis with long-term survivors, Wiley, 1996
- van Houwelingen HC, Modeling clinical long-term survival data. Can we tell the difference between "Cure models", "Frailty models", or "Time-dependent effect models"? Proceedings of the XXth International Biometric Conference, Volume II Invited papers, 117-123, 2000.

- van Houwelingen HC, Eilers PHC, 'Non-proportional hazards models in survival analysis', COMPSTAT, Proceedings in Computational Statistics edited by Bethlehem JG and van der Heijden, PGM, Physica-Verlag, 151-160, 2000.
- Smits JMA, van Houwelingen HC, De Meester J, et al, 'Permanent detrimental effect of nonimmunological factors on long-term renal graft survival - A parsimonious model of time-dependency', Transplantation, 70, 317-323, 2000 (presented at ISCB-1999)
- Smits JMA, van Houwelingen H, De Meester J, et al., Analysis of the renal transplant waiting list - Application of a parametric competing risk method, TRANSPLANTATION 66, 1146-1153 , 1998

### Session 3

- Liestol, K. and Andersen, PK. 'Updated covariates in survival analysis', Research Report, University of Copenhagen, 2000
- Hogan JW, Laird NM , 'Mixture models for the joint distribution of repeated measures and event times', Statistics in Medicine, 16, 239-257, 1997
- de Bruijne MHJ, van Houwelingen HC, le Cessie S, 'Modeling the effect of a time-dependent covariate with irregular measurements', ISCB-Dundee, 1998
- de Bruijne MHJ, van Houwelingen HC, le Cessie S, 'Predicting survival in studies with time-dependent covariates: a multiple landmark model' , ISCB-Heidelberg, 1999
- de Bruijne MHJ, van Houwelingen HC, le Cessie S, 'Predicting survival in studies with time-dependent covariates: a pattern mixture approach', Proceedings of the XXth International Biometric Conference, Volume I, 174, 2000
- Diggle P and Zeger S, 'Some models for survival outcomes and associated longitudinal measurements', Proceedings of the XXth International Biometric Conference, Volume II Invited papers, 7-11, 2000

### Session 4

- le Cessie S, van Houwelingen HC, 'Testing the fit of a regression-model via score tests in random effects models', Biometrics , 51, 600-614, 1995
- Hougaard P, Analysis of multivariate survival data, Springer, 2000
- DerSimonian R, Laird N, 'Meta-analysis in clinical trials', Controlled Clinical Trials, 7, 177-188, 1986.
- van Houwelingen HC, Brand R, 'Empirical Bayes methods for monitoring health care quality', Bulletin of the ISI, ISI 99, Book 1, 75-78, 1999
- Verweij PJM, van Houwelingen HC, Stijnen T, 'A goodness-of-fit test for Cox's proportional hazards model based on martingale residuals', BIOMETRICS 54: (4) 1517-1526 DEC 1998
- Houwing-Duistermaat JJ, Derkx BHF, Rosendaal FR, et al., 'Testing familial aggregation', BIOMETRICS 51: (4) 1292-1301 DEC 1995
- Houwing-Duistermaat JJ, van Houwelingen HC , 'Incorporation of family history in logistic regression'

models, STAT MED 17: (24) 2865-2882 DEC 30 1998

Andersen PK, Klein JP, Zhang MJ , Testing for centre effects in multi-centre survival studies: A Monte Carlo comparison of fixed and random effects tests, STAT MED 18: (12) 1489-1500 JUN 30 1999

Commenges D, Andersen PK, Score test of homogeneity in survival analysis , LIDA, 1, 145-160, 1995